

Technical drawing of a staircase cross-section, showing structural details and dimensions.

Dimensions:

- Overall width: 0.25
- Overall height: 1.00
- Staircase width: 1.80
- Staircase depth: 0.30
- Staircase height: 0.15
- Staircase width: 0.50
- Staircase height: 1.00
- Staircase width: 0.20
- Staircase height: 0.50
- Staircase width: 0.20
- Staircase height: 0.50

Structural Details:

- SCHODIŠTĚ 5 x 150 x 300** (Staircase 5 x 150 x 300)
- OCEROVÝ PROFIL 40/100 mm** (Steel profile 40/100 mm)
- MATERIÁL : ŽAROVĚ ZINKOVÁNO** (Material: Hot-dip galvanized)
- SLOUPEK - OCEROVÝ PROFIL 40/100 mm** (Column - Steel profile 40/100 mm)
- MATERIÁL : ŽAROVĚ ZINKOVÁNO** (Material: Hot-dip galvanized)
- UKOTVĚNO NA PLOTYNKU A CHEMICKÉ KOTVY** (Anchored on plate and chemical anchors)
- DILATACE TLJ10 mm STYRODUR** (Expansion joint TLJ10 mm Styrodur)
- KONSTRUKCE CHODNÍKU** (Scaffold structure)
- BETONOVÉ ŠTUPNĚ 150/300 TR.C 25/30** (Concrete steps 150/300 TR.C 25/30)
- BETONOVÁ DESKA TR.C 25/30 TLJ50 mm** (Concrete slab TR.C 25/30 TLJ50 mm)
- SVAROVANÁ SÍŤ OKA 100 /100/6 mm** (Welded mesh OKA 100 /100/6 mm)
- ŠTĚRKOPÍSEK TLJ50 mm** (Gravel bedding TLJ50 mm)

[illegible]

ODPOVĚDNÝ PROJEKTANT :		VYPRACOVAL :			
ING. ŠKRABAL		ING. JAROŠ			
KRAJ:	ZLÍNSKÝ	MĚSTO	VIZOVICE		
INVESTOR:		MĚSTO VIZOVICE			
STAVBA: VIZOVICE - OPRAVA CHODNÍKU SÍDLIŠTĚ RŮŽOVÁ				DATUM	02.2016
				FORMÁT	2 A4
				STUPEŇ	DSP+PDPS
				REVIZE	00
DETAIL SCHODIŠTĚ				MĚR. 1:20	Č.V. C 101-4